



AMOUNT
OF DOORS



CAPACITY OF
LOAD PER SHEET



MATERIAL OF
GATE



WIDTH OF
GATE
(wood)



WIDTH OF
GATE
(glass)



FRAME HEIGHT
OF DOOR



DOOR THICKNESS
WOOD/ALUMINUM
*Depends on the attached kit to be used



THICKNESS
GLASS DOOR
*Thickness according to clamp



Easy Soft DN80



Soft closing system for glass or wooden doors from 50 to 80 kg. Allows controlled, smooth and precise closing, avoiding the doors slamming. It is used in replacement

de los carros DN 80 CF, DN 80 OC FT, DN 80 OC LT y DN 80 VD.

APPLICATIONS

| Passage doors.

QUALITIES

| It can be used with wood, glass or aluminum doors with weights from 50 to 80 Kg.

| It incorporates a sealed piston providing greater stability to the door travel. The piston allows to eliminate the use of springs, avoiding locks, damages and prolonging the useful life of the system.

| Activator with aluminum bar that allows to adjust the position for an easier installation.

| It allows various configurations to be made according to the needs of each user, whether in glass or wood, combining it with the different available annex kits. (see page 2 and 3)

| Clean, minimalist spaces can be achieved by using valance and end caps concealing hardware and providing excellent finishes.

SYSTEMS
SLIDES

EASY SOFT DN80

LINEA
SEGMENTA

BEARING

ENDURANCE
TO CORROSION


A - EN

For application on glass doors it can be combined with:

	M. Mini	M. Pres/Perf
Easy Soft DN80	x 1	x 1
Annex kit ES DN80 VD	x 1	x 1
Mini gag	x 1	
Jaw Pres/Perf		x 1
Accessories kit 8 - 10		x 1
Accessories kit 12 - 13		ó x 1


Easy Soft DN80 + Annex Kit ES DN80 VD + Mini Clamp

e = 8-10mm



Easy Soft DN80 + Annex Kit ES DN80 VD + Clamp Pres/Perf

e = 8-10mm | 12-13mm



EASY SOFT DN80

10107026485

Minimum dispatch: 10 units

1 IS DN80



1 Activator ES DN80



1 DN80 car



1 DN80 brake



Template ES DN80



fixing elements



ANNEX KIT ES DN80 VD

10107026489

Minimum dispatch: 10 units

2 RV Bushings



4 Bolts



2 nuts



USED WITH



RIEL U 21 AL

2.0 m. 10100626020

3.0 m. 10100626030

6.0 m. 10100626060

ACCESSORIES



Wall connector ref.
10100626100



Wide wall connector ref.
10100626105



Border U21 66x8 2.0
m. 10100627022 3.0m.
10100627032 6.0m.
10100627062



Cover U21 border 66x8 ref.
10100910018



Tapa Riel U21 ref.
10100910020



Side plate DN50-80 ref.
10100217284

ANNEX KIT ES DN80 CF

10107026486

Minimum dispatch: 10 units

2 mounting plates DN80



2 Bolts



4 nuts



1 Guide Kit GPR 8.5



fixing elements



ANNEX KIT ES DN80 OC FT

10107026487

Minimum dispatch: 10 units

2 Plates DN80 OC FT



2 Bolts



2 nuts



1 Segment Wrench



1 Guide Kit GPR 8.5



fixing elements




ANNEX KIT ES DN80 OC LT

10107026488

Minimum dispatch: 10 units

2 fixed boxes DN80 OC LT



2 Mobile boxes DN80 OC LT



2 Tapas DN80 OC LT



2 Bolts



2 nuts



1 Guide Kit GPR 8.5



fixing elements



2 Cover safe DN80 OC LT




For application on wooden doors it can be combined with:

	DN80 CF	DN80 OC FT	DN80 OC LT
Easy Soft DN80	x 1	x 1	x 1
Annex kit ES DN80 CF	x 1		
Attachment kit ES DN80 OC FT		x 1	
Annex kit ES DN80 OC LT			x 1


ES DN80 + Annex Kit ES DN80 CF

$e \geq 20\text{mm}$



ES DN80 + Annex Kit ES DN80 OC FT

$e \geq 25\text{mm}$



ES DN80 + Annex Kit ES DN80 OC LT

$e \geq 30\text{mm}$

